

## Author Index

- Antonelli, M.C., see Defagot, M.C. (45) 1  
Araujo, F., see Gutiérrez, A. (45) 59  
Armstrong, J.N., see Plumier, J.-C.L. (45) 239
- Babity, J.M., see Plumier, J.-C.L. (45) 239  
Barretto, R.L., see Drescher, M.J. (45) 325  
Baudry, M., see Sun, N. (45) 353  
Beisel, K.W., see Drescher, M.J. (45) 325  
Berod, A., see Garcion, E. (45) 255  
Berry, D., see Garrett, K.M. (45) 133  
Black, J.A., see Felts, P.A. (45) 71  
Blanchard, C., see Lesort, M. (45) 127  
Bleck, V.G., see Mascia, M.P. (45) 169  
Böckers, T.M., see Kreutz, M.R. (45) 283  
Brachet, P., see Garcion, E. (45) 255  
Brady, J., see Malik, K.F. (45) 99  
Brinton, R.D., see Yamazaki, R.S. (45) 138  
Brown, I.R., see Foster, J.A. (45) 207  
Bruce, A.J., see Sun, N. (45) 353  
Busquets, X., Ventayol, P. and García-Sevilla, J.A.  
Naloxone-precipitated withdrawal in morphine-dependent rats increases the expression of  $\alpha_{2A}$ -adrenoceptor mRNA in brain (45) 154
- Cao, A., see Murru, S. (45) 345  
Castelli, M.P., Melis, M., Mameli, M., Fadda, P., Diaz, G. and Gessa, G.L.  
Chronic morphine and naltrexone fail to modify  $\mu$ -opioid receptor mRNA levels in the rat brain (45) 149  
Chan, R.M., Stewart, M.J. and Crabb, D.W.  
A direct repeat (DR-1) element in the first exon modulates transcription of the preproenkephalin A gene (45) 50  
Chang, C.-P., Dworetzky, S.I., Wang, J. and Goldstein, M.E.  
Differential expression of the  $\alpha$  and  $\beta$  subunits of the large-conductance calcium-activated potassium channel: implication for channel diversity (45) 33  
Chen, Q., see Yamazaki, R.S. (45) 138  
Chihara, J., see Urayama, O. (45) 331  
Ciavarrá, R.P., see Tedeschi, B. (45) 199  
Crabb, D.W., see Chan, R.M. (45) 50  
Currie, R.W., see Plumier, J.-C.L. (45) 239
- Darcy, F., see Garcion, E. (45) 255  
De Blas, A.L., see Gutiérrez, A. (45) 59  
Defagot, M.C., Malchiodi, E.L., Villar, M.J. and Antonelli, M.C.  
Distribution of D4 dopamine receptor in rat brain with sequence-specific antibodies (45) 1
- DeMarco, S.J., see Zacharias, D.A. (45) 173  
Diaz, G., see Castelli, M.P. (45) 149  
Dib-Hajj, S., see Felts, P.A. (45) 71  
Drescher, A.J., see Drescher, M.J. (45) 325  
Drescher, D.G., see Drescher, M.J. (45) 325  
Drescher, M.J., Khan, K.M., Beisel, K.W., Karadaghy, A.A., Hatfield, J.S., Kim, S.Y., Drescher, A.J., Lasak, J.M., Barretto, R.L., Shakir, A.H. and Drescher, D.G.  
Expression of adenylyl cyclase type I in cochlear inner hair cells (45) 325  
Dworetzky, S.I., see Chang, C.-P. (45) 33
- Emson, P.C., see Xu, W. (45) 41  
Esclaire, F., see Lesort, M. (45) 127
- Fadda, P., see Castelli, M.P. (45) 149  
Fekete, M.I.K., see Horváth, E.J. (45) 141  
Felts, P.A., Yokoyama, S., Dib-Hajj, S., Black, J.A. and Waxman, S.G.  
Sodium channel  $\alpha$ -subunit mRNAs I, II, III, NaG, Na6 and hNE (PN1): different expression patterns in developing rat nervous system (45) 71  
Fink, G., see McQueen, J.K. (45) 13  
Fluharty, S.J., see Yee, D.K. (45) 108  
Foster, J.A. and Brown, I.R.  
Differential induction of heat shock mRNA in oligodendrocytes, microglia, and astrocytes following hyperthermia (45) 207  
Freeman, W.M., see Xu, Y. (45) 159
- Gan, J., see Garrett, K.M. (45) 133  
Gao, Y., He, J.R. and Kapcala, L.P.  
Estrogen inhibits hypothalamic pro-opiomelanocortin gene expression in hypothalamic neuronal cultures (45) 340  
Garcia, M.L., Murray, K.D., Garcia, V.B., Strehler, E.E. and Isackson, P.J.  
Seizure-induced alterations of plasma membrane calcium ATPase isoforms 1, 2 and 3 mRNA and protein in rat hippocampus (45) 230  
García-Sevilla, J.A., see Busquets, X. (45) 154  
Garcia, V.B., see Garcia, M.L. (45) 230  
Garcion, E., Nataf, S., Berod, A., Darcy, F. and Brachet, P.  
1,25-Dihydroxyvitamin D<sub>3</sub> inhibits the expression of inducible nitric oxide synthase in rat central nervous system during experimental allergic encephalomyelitis (45) 255
- Garrett, K.M., Haque, D., Berry, D., Niekrasz, I., Gan, J., Rotter, A. and Seale, T.W.  
The GABA<sub>A</sub> receptor  $\alpha_6$  subunit gene (*Gabra6*) is tightly linked to the  $\alpha_1$ - $\gamma_2$  subunit cluster on mouse chromosome 11 (45) 133  
Gehle, V.M., Walcott, E.C., Nishizaki, T. and Sumikawa, K.  
N-Glycosylation at the conserved sites ensures the expression of properly folded functional ACh receptors (45) 219  
Gessa, G., see Murru, S. (45) 345  
Gessa, G.L., see Castelli, M.P. (45) 149  
Goldman, D., see Nielsen, D.A. (45) 145  
Goldstein, M.E., see Chang, C.-P. (45) 33  
Grossman, A.B., see Mancuso, C. (45) 294  
Gutiérrez, A., Khan, Z.U., Miralles, C.P., Mehta, A.K., Ruano, D., Araujo, F., Vitorica, J. and De Blas, A.L.  
GABA<sub>A</sub> receptor subunit expression changes in the rat cerebellum and cerebral cortex during aging (45) 59
- Hamilton, T.C., see Plumier, J.-C.L. (45) 239  
Haque, D., see Garrett, K.M. (45) 133  
Hara, Y., see Urayama, O. (45) 331  
Harris, R.A., see Mascia, M.P. (45) 169  
Hatfield, J.S., see Drescher, M.J. (45) 325  
Hayes, V.Y., Towner, M.D. and Isackson, P.J.  
Organization, sequence and functional analysis of a mouse BDNF promoter (45) 189  
He, J.R., see Gao, Y. (45) 340  
He, P., see Yee, D.K. (45) 108  
Hellweg, R., Humpel, C., Löwe, A. and Hörtnagl, H.  
Moderate lesion of the rat cholinergic septohippocampal pathway increases hippocampal nerve growth factor synthesis: evidence for long-term compensatory changes? (45) 177  
Hines, J., see Yee, D.K. (45) 108  
Hörtnagl, H., see Hellweg, R. (45) 177  
Horváth, E.J., Fekete, M.I.K. and Palkovits, M.  
Changes in specific binding sites of girsipam after chemical and surgical lesions in the striato-nigral system (45) 141  
Hugon, J., see Lesort, M. (45) 127  
Hülser, E., see Kreutz, M.R. (45) 283  
Humpel, C., see Hellweg, R. (45) 177  
Hunter, A.J., see Plumier, J.-C.L. (45) 239
- Ichikawa, T., see Ikeda, K. (45) 117  
Ikawa, Y., see Urayama, O. (45) 331

- Ikeda, K., Kobayashi, K., Kobayashi, T., Ichikawa, T., Kumanishi, T., Kishida, H., Yano, R. and Manabe, T.  
Functional coupling of the nociceptin/orphanin FQ receptor with the G-protein-activated K<sup>+</sup> (GIRK) channel (45) 117
- Ikeuchi, Y., Nishizaki, T., Matsuoka, T. and Sumikawa, K.  
Long-lasting enhancement of ACh receptor currents by lysophospholipids (45) 317
- Isackson, P.J., see Garcia, M.L. (45) 230
- Isackson, P.J., see Hayes, V.Y. (45) 189
- Ishii, T., see Tohdoh, N. (45) 24
- Jaffe, H., see Malik, K.F. (45) 99
- Jefferson, K.K., see Nielsen, D.A. (45) 145
- Jenkins, G.L., see Nielsen, D.A. (45) 145
- Joep, R.S., see Unlap, M.T. (45) 83
- Kapcala, L.P., see Gao, Y. (45) 340
- Karadaghy, A.A., see Drescher, M.J. (45) 325
- Khan, K.M., see Drescher, M.J. (45) 325
- Khan, Z.U., see Gutiérrez, A. (45) 59
- Kim, S.Y., see Drescher, M.J. (45) 325
- Kimura, M., see Tohdoh, N. (45) 24
- Kishida, H., see Ikeda, K. (45) 117
- Kobayashi, K., see Ikeda, K. (45) 117
- Kobayashi, T., see Ikeda, K. (45) 117
- Kondo, H., see Utsunomiya, A. (45) 349
- Kreutz, M.R., Böckers, T.M., Sabel, B.A., Stricker, R., Hülser, E. and Reiser, G.  
Localization of a 42-kDa inositol 1,3,4,5-tetrakisphosphate receptor protein in retina and change in expression after optic nerve injury (45) 283
- Kubota, M., see Urayama, O. (45) 331
- Kumanishi, T., see Ikeda, K. (45) 117
- Kumer, S.C., see Xu, Y. (45) 159
- Lasak, J.M., see Drescher, M.J. (45) 325
- Lesort, M., Blanchard, C., Yardin, C., Esclaire, F. and Hugon, J.  
Cultured neurons expressing phosphorylated tau are more resistant to apoptosis induced by NMDA or serum deprivation (45) 127
- Lindfors, N., see Marcus, M.M. (45) 275
- Liu, L., see Xu, W. (45) 41
- Löwe, A., see Hellweg, R. (45) 177
- Malchiodi, E.L., see Defagot, M.C. (45) 1
- Malik, K.F., Jaffe, H., Brady, J. and Young III, W.S.  
The class III POU factor Brn-4 interacts with other class III POU factors and the heterogeneous nuclear ribonucleoprotein U (45) 99
- Malmerfelt, A., see Marcus, M.M. (45) 275
- Mameli, M., see Castelli, M.P. (45) 149
- Manabe, T., see Ikeda, K. (45) 117
- Mancuso, C., Pistritto, G., Tringali, G., Grossman, A.B., Preziosi, P. and Navarra, P.  
Evidence that carbon monoxide stimulates prostaglandin endoperoxide synthase activity in rat hypothalamic explants and in primary cultures of rat hypothalamic astrocytes (45) 294
- Marcus, M.M., Nomikos, G.G., Malmerfelt, A., Zachrisson, O., Lindfors, N. and Svensson, T.H.  
Effect of chronic antipsychotic drug treatment on preprosomatostatin and prepro-tachykinin A mRNA levels in the medial prefrontal cortex, the nucleus accumbens and the caudate putamen of the rat (45) 275
- Mascia, M.P., Bleck, V.G. and Harris, R.A.  
Glycine receptors from long-sleep and short-sleep mice: genetic differences in drug sensitivity (45) 169
- Mash, D.C., see Segal, D.M. (45) 335
- Matsuoka, T., see Ikeuchi, Y. (45) 317
- Matus-Leibovitch, N., Nevo, I. and Vogel, Z.  
Differential distribution of synapsin IIa and IIb mRNAs in various brain structures and the effect of chronic morphine administration on the regional expression of these isoforms (45) 301
- McGonnigal, B., see Padbury, J.F. (45) 163
- McQueen, J.K., Wilson, H. and Fink, G.  
Estradiol-17 $\beta$  increases serotonin transporter (SERT) mRNA levels and the density of SERT-binding sites in female rat brain (45) 13
- Mehta, A.K., see Gutiérrez, A. (45) 59
- Melis, M., see Castelli, M.P. (45) 149
- Miralles, C.P., see Gutiérrez, A. (45) 59
- Mizuno, K., see Mori, T. (45) 247
- Mizuno, M., see Nishimura, M. (45) 268
- Mooslehner, K., see Xu, W. (45) 41
- Moraes, C.T., see Segal, D.M. (45) 335
- Mori, T., Okano, I., Mizuno, K., Tohyama, M. and Wanaka, A.  
Comparison of tissue distribution of two novel serine/threonine kinase genes containing the LIM motif (LIMK-1 and LIMK-2) in the developing rat (45) 247
- Murakoshi, T., see Urayama, O. (45) 331
- Murray, K.D., see Garcia, M.L. (45) 230
- Murru, S., Pani, L., Poddie, D., Gessa, G., Cao, A. and Pirastu, M.  
Rat tyrosine hydroxylase gene polymorphisms (45) 345
- Nakashima, S., see Yoshimura, S.-i. (45) 90
- Nataf, S., see Garcion, E. (45) 255
- Navarra, P., see Mancuso, C. (45) 294
- Nevo, I., see Matus-Leibovitch, N. (45) 301
- Niekasz, I., see Garrett, K.M. (45) 133
- Nielsen, D.A., Jenkins, G.L., Stefanisko, K.M., Jefferson, K.K. and Goldman, D.  
Sequence, splice site and population frequency distribution analyses of the polymorphic human tryptophan hydroxylase intron 7 (45) 145
- Nishimura, M., Sato, K., Mizuno, M., Yoshiya, I., Shimada, S., Saito, N. and Tohyama, M.  
Differential expression patterns of GABA transporters (GAT1-3) in the rat olfactory bulb (45) 268
- Nishizaki, T., see Gehle, V.M. (45) 219
- Nishizaki, T., see Ikeuchi, Y. (45) 317
- Noble, J., see Yau, J.L.W. (45) 182
- Nomikos, G.G., see Marcus, M.M. (45) 275
- Nozawa, Y., see Yoshimura, S.-i. (45) 90
- Ojika, K., see Tohdoh, N. (45) 24
- Okano, I., see Mori, T. (45) 247
- Owada, Y., see Utsunomiya, A. (45) 349
- Padbury, J.F., Tseng, Y.-T., McGonnigal, B., Penado, K., Stephan, M. and Rudnick, G.  
Placental biogenic amine transporters: cloning and expression (45) 163
- Palkovits, M., see Horváth, E.J. (45) 141
- Pani, L., see Murru, S. (45) 345
- Penado, K., see Padbury, J.F. (45) 163
- Pirastu, M., see Murru, S. (45) 345
- Pistritto, G., see Mancuso, C. (45) 294
- Plumier, J.-C.L., Armstrong, J.N., Wood, N.I., Babity, J.M., Hamilton, T.C., Hunter, A.J., Robertson, H.A. and Currie, R.W.  
Differential expression of *c-fos*, *Hsp70* and *Hsp27* after photothrombotic injury in the rat brain (45) 239
- Poddie, D., see Murru, S. (45) 345
- Preziosi, P., see Mancuso, C. (45) 294
- Reagan, L.P., see Yee, D.K. (45) 108
- Reiser, G., see Kreutz, M.R. (45) 283
- Robertson, H.A., see Plumier, J.-C.L. (45) 239
- Rotter, A., see Garrett, K.M. (45) 133
- Ruano, D., see Gutiérrez, A. (45) 59
- Rudnick, G., see Padbury, J.F. (45) 163
- Sabel, B.A., see Kreutz, M.R. (45) 283
- Saito, N., see Nishimura, M. (45) 268
- Sakai, H., see Yoshimura, S.-i. (45) 90
- Sakai, N., see Yoshimura, S.-i. (45) 90
- Sato, K., see Nishimura, M. (45) 268
- Schreiber, S.S., see Sun, N. (45) 353
- Schreiber, S.S., see Yamazaki, R.S. (45) 138
- Seale, T.W., see Garrett, K.M. (45) 133
- Seckl, J.R., see Yau, J.L.W. (45) 182
- Segal, D.M., Moraes, C.T. and Mash, D.C.  
Up-regulation of D<sub>3</sub> dopamine receptor mRNA in the nucleus accumbens of human cocaine fatalities (45) 335
- Shakir, A.H., see Drescher, M.J. (45) 325
- Shimada, S., see Nishimura, M. (45) 268
- Shinoda, J., see Yoshimura, S.-i. (45) 90
- Siemens, I.R., see Yee, D.K. (45) 108
- Sinacola, M.K., see Wiechmann, A.F. (45) 321
- Stefanisko, K.M., see Nielsen, D.A. (45) 145
- Stephan, M., see Padbury, J.F. (45) 163
- Stewart, M.J., see Chan, R.M. (45) 50
- Stokes, A.H., see Xu, Y. (45) 159
- Strehler, E.E., see Garcia, M.L. (45) 230
- Strehler, E.E., see Zacharias, D.A. (45) 173
- Stricker, R., see Kreutz, M.R. (45) 283
- Sumikawa, K., see Gehle, V.M. (45) 219
- Sumikawa, K., see Ikeuchi, Y. (45) 317
- Sun, N., Bruce, A.J., Baudry, M. and Schreiber, S.S.  
Isolation of the gene encoding lamp-1, a lysosomal membrane protein, by differential screening in an animal model of status epilepticus (45) 353
- Svensson, T.H., see Marcus, M.M. (45) 275
- Tedeschi, B. and Ciavatta, R.P.  
Differential effects of axotomy on the in vivo synthesis of the stress-inducible and constitutive 70-kDa heat-shock proteins in rat dorsal root ganglia (45) 199
- Tohdoh, N., Tojo, S., Kimura, M., Ishii, T. and Ojika, K.  
Mechanism of expression of the rat HCNP precursor protein gene (45) 24



- Tohyama, M., see Mori, T. (45) 247  
 Tohyama, M., see Nishimura, M. (45) 268  
 Tojo, S., see Tohdoh, N. (45) 24  
 Towner, M.D., see Hayes, V.Y. (45) 189  
 Tringali, G., see Mancuso, C. (45) 294  
 Tseng, Y.-T., see Padbury, J.F. (45) 163
- Unlap, M.T. and Jope, R.S.  
 Dexamethasone attenuates NF- $\kappa$ B DNA binding activity without inducing I $\kappa$ B levels in rat brain in vivo (45) 83
- Urayama, O., Murakoshi, T., Kubota, M., Hara, Y., Chihara, J. and Ikawa, Y.  
 Coincident induction of *Krev-1/rap 1A*, *rap 1B* and *H-ras* mRNAs in the rat spinal cord by noxious stimulation (45) 331
- Utsunomiya, A., Owada, Y., Yoshimoto, T. and Kondo, H.  
 Localization of gene expression for phosphatidylinositol transfer protein in the brain of developing and mature rats (45) 349
- Ventayol, P., see Busquets, X. (45) 154  
 Villar, M.J., see Defagot, M.C. (45) 1  
 Vitorica, J., see Gutiérrez, A. (45) 59  
 Vogel, Z., see Matus-Leibovitch, N. (45) 301  
 Vogt, B.A., see Xu, Y. (45) 159  
 Vrana, K.E., see Xu, Y. (45) 159
- Walcott, E.C., see Gehle, V.M. (45) 219  
 Wanaka, A., see Mori, T. (45) 247
- Wang, J., see Chang, C.-P. (45) 33  
 Waxman, S.G., see Felts, P.A. (45) 71  
 Widdowson, J., see Yau, J.L.W. (45) 182  
 Wiechmann, A.F. and Sinacola, M.K.  
 Diurnal expression of recoverin in the rat retina (45) 321  
 Wilson, H., see McQueen, J.K. (45) 13  
 Wood, N.I., see Plumier, J.-C.L. (45) 239
- Xu, W., Liu, L., Mooslehner, K. and Emson, P.C.  
 Structural organization of the human vesicular monoamine transporter type-2 gene and promoter analysis using the jelly fish green fluorescent protein as a reporter (45) 41
- Xu, Y., Stokes, A.H., Freeman, W.M., Kumer, S.C., Vogt, B.A. and Vrana, K.E.  
 Tyrosinase mRNA is expressed in human substantia nigra (45) 159
- Yamada, H., see Yoshimura, S.-i. (45) 90  
 Yamazaki, R.S., Chen, Q., Schreiber, S.S. and Brinton, R.D.  
 Localization of V1a vasopressin receptor mRNA expression in cultured neurons, astroglia, and oligodendroglia of rat cerebral cortex (45) 138
- Yang, X.-D., see Yee, D.K. (45) 108  
 Yano, R., see Ikeda, K. (45) 117
- Yardin, C., see Lesort, M. (45) 127  
 Yau, J.L.W., Noble, J., Widdowson, J. and Seckl, J.R.  
 Impact of adrenalectomy on 5-HT<sub>6</sub> and 5-HT<sub>7</sub> receptor gene expression in the rat hippocampus (45) 182
- Yee, D.K., He, P., Yang, X.-D., Reagan, L.P., Hines, J., Siemens, I.R. and Fluharty, S.J.  
 Cloning and expression of angiotensin II type 2 (AT<sub>2</sub>) receptors from murine neuroblastoma N1E-115 cells: evidence for AT<sub>2</sub> receptor heterogeneity (45) 108
- Yokoyama, S., see Felts, P.A. (45) 71  
 Yoshimoto, T., see Utsunomiya, A. (45) 349  
 Yoshimura, S.-i., Sakai, H., Nakashima, S., Nozawa, Y., Shinoda, J., Sakai, N. and Yamada, H.  
 Differential expression of Rho family GTP-binding proteins and protein kinase C isozymes during C6 glial cell differentiation (45) 90
- Yoshiya, I., see Nishimura, M. (45) 268  
 Young III, W.S., see Malik, K.F. (45) 99
- Zacharias, D.A., DeMarco, S.J. and Strehler, E.E.  
 mRNA expression of the four isoforms of the human plasma membrane Ca<sup>2+</sup>-ATPase in the human hippocampus (45) 173  
 Zachrisson, O., see Marcus, M.M. (45) 275

